

# SAFETY DATA SHEET CONBEXTRA BB92

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CONBEXTRA BB92

Product number 1148306UK9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cementitous Grouts

1.3. Details of the supplier of the safety data sheet

Supplier FOSROC Limited

Drayton Manor Business Park

Coleshill Road Tamworth Staffordshire B78 3XN

enquiryuk@fosroc.com Tel. +44 (0) 1827 262222 Fax. +44 (0) 1827 262444

1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (08.30 to 17.00hrs Mon - Thu; 0.8.30 to 16.00hrs Fri)

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

Environmental hazards Not Classified

Classification (67/548/EEC or Xi;R36/37/38.

1999/45/EC)

# 2.2. Label elements

#### **Pictogram**





Signal word Danger

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

#### **CONBEXTRA BB92**

**Precautionary statements** P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.
P312 Call a POISON CENTER/doctor if you feel unwell.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Contains ORDINARY PORTLAND CEMENT(BULK), SILICA FLOUR (100 - 325 micron)

Supplementary precautionary

statements

P261 Avoid breathing vapour/spray.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

SILICA SAND		30-60%
CAS number: 14808-60-7	EC number: 238-878-4	
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC)	

## ORDINARY PORTLAND CEMENT(BULK)

30-60%

CAS number: -

Classification

Classification (67/548/EEC or 1999/45/EC)

Xi;R36/37/38.

Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

Skin Irrit. 2 - H315

# SILICA FLOUR (100 - 325 micron)

1-5%

## Classification

Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT RE 2 - H373

#### **CONBEXTRA BB92**

2,6-DI-tert-BUTYL-4-METHYLPHENOL

<1%

CAS number: 128-37-0 M factor (Chronic) = 1

Classification

Aquatic Chronic 1 - H410

## **ALUMINIUM POWDER (STABILIZED)**

<1%

CAS number: 7429-90-5 EC number: 231-072-3

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Sol. 1 - H228 F;R11,R15

Water-react. 2 - H261

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation** Remove affected person from source of contamination. Move affected person to fresh air at

once. Get medical attention.

**Ingestion** Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes and get medical

attention.

## 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Dust may irritate the respiratory system. Symptoms following overexposure may include the

following: Coughing.

**Eye contact** Dust in the eyes will cause irritation. Immediate first aid is necessary.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion

products

No known hazardous decomposition products.

## 5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

#### **CONBEXTRA BB92**

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of dust. Avoid contact with eyes and prolonged skin contact. Wear protective

clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid generation and spreading of dust. Collect and place in suitable waste disposal

containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty

of water.

#### 6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and

dispose of spillage as indicated in Section 13.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Usage precautions Observe any occupational exposure limits for the product or ingredients. Avoid inhalation of

dust and contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

# 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

#### Occupational exposure limits

## SILICA SAND

Long-term exposure limit (8-hour TWA): WEL 0,1 mg/m<sup>3</sup>

## SILICA FLOUR (100 - 325 micron)

Long-term exposure limit (8-hour TWA): WEL 0,1 mg/m<sup>3</sup>

## 2,6-DI-tert-BUTYL-4-METHYLPHENOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup>

#### **ALUMINIUM POWDER (STABILIZED)**

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

#### 2,6-DI-tert-BUTYL-4-METHYLPHENOL (CAS: 128-37-0)

#### **CONBEXTRA BB92**

**DNEL** Workers - Inhalation; Long term systemic effects: 3.5 mg/m³

Workers - Dermal; Long term systemic effects: 0.5 mg/kg/day

PNEC - Fresh water; 0.199 μg/l

- Marine water; 0.0199 µg/l

# ALUMINIUM POWDER (STABILIZED) (CAS: 7429-90-5)

**DNEL** Workers - Oral; Long term systemic effects: 3 mg/m<sup>3</sup>

#### 8.2. Exposure controls

## Protective equipment







Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of dust. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Dust-resistant, chemical

splash goggles. (conform EN 166)

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC).

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not smoke in work area. Wash hands at the end of each work shift and before eating,

smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove

any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection Wear a suitable dust mask. No specific recommendations. Protection against nuisance dust

must be used when the airborne concentration exceeds 10 mg/m3. (EN 149)

## **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** Dusty powder.

Colour Grey.

Odour Odourless.

**pH** Not applicable.

Melting point Not applicable.

**Initial boiling point and range** Not applicable.

Flash point Not applicable.

Relative density 1.6 @ 20°C

Solubility(ies) Insoluble in water.

9.2. Other information

Other information Not available.

#### **CONBEXTRA BB92**

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Reactions with the following materials may generate heat: Water.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not known. Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with water.

10.5. Incompatible materials

Materials to avoid Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition

products

No known hazardous decomposition products.

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin sensitisation

**Skin sensitisation** This product contains a chromate reducing agent to reduce the risk of allergic dermatitis

causes by chromium (VI). This product has a shelf life. If not stored in accordance with packaging instructions (sealed and dry), there is an increased risk of the presence of

hexavalent chromate leading to an increased risk of an allergic reaction.

Inhalation Dust may irritate the respiratory system. Symptoms following overexposure may include the

following: Coughing.

**Eye contact** Dust in the eyes will cause irritation.

## SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment. The product may affect the acidity (pH) of

water which may have hazardous effects on aquatic organisms.

12.1. Toxicity

**Toxicity** Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability The product is not expected to be biodegradable.

12.3. Bioaccumulative potential

**Bioaccumulative potential** The product is not bioaccumulating.

12.4. Mobility in soil

**Mobility** The product hardens to a solid, immobile substance.

## 12.5. Results of PBT and vPvB assessment

## **CONBEXTRA BB92**

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site

in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Reuse or recycle products wherever possible. Note that fully

cured material is not considered as hazardous waste.

## SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

UN No. (IMDG)

UN No. (ICAO)

## 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

No transport warning sign required.

ADR/RID class

ADR/RID subsidiary risk

ADR/RID label

**IMDG** class

IMDG subsidiary risk

ICAO class/division

ICAO subsidiary risk

Transport labels

## 14.4. Packing group

Not applicable.

ADR/RID packing group

IMDG packing group

ICAO packing group

## 14.5. Environmental hazards

## **CONBEXTRA BB92**

#### Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

Not applicable.

**EmS** 

**Emergency Action Code** 

Hazard Identification Number (ADR/RID)

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

**Guidance** Respiratory protective equipment at work (HSG53).

Workplace Exposure Limits EH40.

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Revision date 28/06/2016

Revision 2

Risk phrases in full NC Not classified.

R36 Irritating to eyes.

R36/37 Irritating to eyes and respiratory system.

R36/37/38 Irritating to eyes, respiratory system and skin.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through

inhalation.

Hazard statements in full H228 Flammable solid.

H261 In contact with water releases flammable gases.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

# **CONBEXTRA BB92**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.