

DECLARATION OF PERFORMANCE

THERMOMASTER PVC-B

Balcony profile with mesh

based on Government Ordinance 275/2013 (VII. 16.) of the detailed regulations on designing and applying construction products into buildings and their proofing of performance.

Declaration ID: DoP_Thermomaster.PVC-B-20130719_EN

Manufacturer, distributor of construction product:

Masterplast Kft. - H-8143 Sárszentmihály, Árpád u. 1/A. (Tel: +36-22/801-300, Fax: +36-22/801-382) Email: <u>masterplast@masterplast.hu</u>; Web: <u>www.masterplastgroup.com</u>

Name of product:

THERMOMASTER PVC-B: Extruded and perforated PVC corner bead profile with water-dripping part and bonded fiberglass mesh tape.

<u>System or systems of assessment and verification of constancy of performance of the construction product as set</u> out in Annex V of the Regulation (EU) 305/2011 of the European Parliament and Council:

4

<u>The reference number and date of issue of the standard, National Technical Assessment or ÉME (Hungarian</u> technical approval) used for basic characteristics evaluation:

Designation and designed application method of construction product:

Fixed at the lower edges of balcony slabs, it prevents the water from flowing back, that could cause frost damages.

Essential characteristics	Related technical specification	Performance of the product	Tolerance	Class or level of performance of the product
Bonding strength of fiberglass mesh tape		~ 50 N		min. 20 N
Height of water-dripping part		8 mm		
Length of profile		250 cm		
Width of fiberglass mesh		2×10 cm		

Other information:

Further information regarding the product and installation is in the related Thermomaster A-02 Installation Guideline and TDS_THERMOMASTER.PVC-B-01.01.2010_EN

Declaration of Performance validity:

Valid for products sold by Masterplast Kft. until the product's life expectancy or until the modification or withdrawal of the Declaration. The modified version of this Declaration invalidates previousy issued Declarations. The current version of the Declaration can be accessed under <u>www.masterplastgroup.com</u>.

MASTERPLAST MASTERPLAST KFT.

Correction And Control Cont

Sárszentmihály, 19 th July 2013.

CU'L'

Csokló Gábor Regional Production Director, Director for Innovation and Technology

Complaints regarding the product are accepted only with a proof of purchase (bill, waybill) issued by Masterplast Kft. for the purchased amount and provided the product can be identified.