

SAFETY DATA SHEET NITOFLOR COVING UT BASE

SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	NITOFLOR COVING UT BASE
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Resin component for isocyanate-based floor-coating system.
1.3. Details of the supplier of the	ne safety data sheet
Supplier	Fosroc Yapi Kimyasallari San. Ve Tic. A.S. Aydinevler mah. Sanayi cad. Demirtas Plaza No:13 Kat:3 34854 Maltepe ISTANBUL TURKEY +90 216 463 6776 enquiryturkey@fosroc.com
1.4. Emergency telephone num	nber
Emergency telephone	+90 262 728 15 07
National emergency telephone number	Turkey: Ulusal Zehir Danışma Merkezi (UZEM) :114 Acil Sağlık Hizmetleri : 112
SECTION 2: Hazards identifica	ation
2.1. Classification of the substa	ance or mixture
Classification (SI 2019 No. 720	<u>-</u>
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317
Environmental hazards	Not Classified
Human health	See Section 11 for additional information on health hazards.
Environmental	The product is not expected to be hazardous to the environment.
2.2. Label elements	
Hazard pictograms	
Signal word	Warning
Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.
Contains	CASTOR OIL No 1, Isothiazolinones Mixture
Supplementary precautionary statements	 P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
CASTOR OIL No 1		10-50%
CAS number: 8001-79-4	EC number: 232-293-8	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	-	
Eye Irrit. 2 - H319		
Isothiazolinones Mixture		<1%
CAS number: 55965-84-9		
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox. 3 - H331		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Inhalation	Keep affected person under observation. Get medical attention if any discomfort continues.
Ingestion	Keep affected person under observation. Get medical attention if any discomfort continues.

Skin contact	Remove affected person from source of contamination. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	May be harmful if inhaled.
Ingestion	May cause irritation of mouth, throat and digestive tract.
Skin contact	May cause an allergic skin reaction. Causes skin irritation.
Eye contact	Causes serious eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Use foam, carbon dioxide, dry powder or water fog to extinguish.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Not known.
Hazardous combustion products	Does not decompose when used and stored as recommended.
	Does not decompose when used and stored as recommended.
products	Does not decompose when used and stored as recommended. Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage or runoff entering drains, sewers or watercourses.
products 5.3. Advice for firefighters Protective actions during	Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage
products <u>5.3. Advice for firefighters</u> Protective actions during firefighting Special protective equipment	Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage or runoff entering drains, sewers or watercourses. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use air-supplied respirator, gloves and protective goggles.
products <u>5.3. Advice for firefighters</u> Protective actions during firefighting Special protective equipment for firefighters <u>SECTION 6: Accidental release</u>	Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage or runoff entering drains, sewers or watercourses. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use air-supplied respirator, gloves and protective goggles.
products <u>5.3. Advice for firefighters</u> Protective actions during firefighting Special protective equipment for firefighters <u>SECTION 6: Accidental release</u>	Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage or runoff entering drains, sewers or watercourses. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use air-supplied respirator, gloves and protective goggles.
products5.3. Advice for firefightersProtective actions during firefightingSpecial protective equipment for firefightersSECTION 6: Accidental release 6.1. Personal precautions, pro-	Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage or runoff entering drains, sewers or watercourses. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use air-supplied respirator, gloves and protective goggles.
products5.3. Advice for firefightersProtective actions during firefightingSpecial protective equipment for firefightersSECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions	Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage or runoff entering drains, sewers or watercourses. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use air-supplied respirator, gloves and protective goggles.
products5.3. Advice for firefightersProtective actions during firefightingSpecial protective equipment for firefightersSECTION 6: Accidental release6.1. Personal precautions, pro Personal precautions6.2. Environmental precaution	Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage or runoff entering drains, sewers or watercourses. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use air-supplied respirator, gloves and protective goggles. Re measures tective equipment and emergency procedures For personal protection, see Section 8. <u>8</u> Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Usage precautions	Good personal hygiene procedures should be implemented. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Protect from freezing and direct sunlight.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure controls	s/Personal protection
8.1. Control parameters	
	GLYCERINE (CAS: 56-81-5)
DNEL	Workers - Inhalation; Long term local effects: 56 mg/m³ General population - Inhalation; Long term local effects: 33 mg/m³ General population - Oral; Long term systemic effects: 229 mg/kg bw/day
PNEC	 Fresh water; 0.885 mg/L marine water; 0.088 mg/L STP; 1000 mg/l Soil; 0,141 mg/kg Intermittent release; 8,85 mg/l Sediment (Freshwater); 3,3 mg/kg Sediment (Marinewater); 0,33 mg/kg
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Ensure control measures are regularly inspected and maintained.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Polyvinyl chloride (PVC). Nitrile rubber.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.
Hygiene measures	When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes wet or contaminated.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'- marked. Half mask and quarter mask respirators with replaceable filter cartridges suitable for intended use should be used. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Gas filter, type K.

SECTION 9: Physical and che	mical properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Off-white.
Odour	Slight.
Odour threshold	Not determined.
рН	pH (concentrated solution):
Melting point	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	«59» «184»
Bulk density	Not applicable.
Solubility(ies)	Forms an emulsion with water.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	Not determined.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	The reactivity data for this product will be typical of those for the following class of materials: Pthalates.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous reactions	

SECTION 9: Physical and chemical properties

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	Avoid high temperatures.
10.5. Incompatible materials	
Materials to avoid	Strong acids. Strong bases.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Acute toxicity - oral ATE oral (mg/kg)	50,000.0
Acute toxicity - dermal ATE dermal (mg/kg)	150,000.0
Acute toxicity - inhalation ATE inhalation (vapours mg/l)	1,500.0
General information	Extensive use of the product in areas with inadequate ventilation may result in the accumulation of hazardous vapour concentrations.
Inhalation	May be harmful if inhaled.
Ingestion	May cause irritation of mouth, throat and digestive tract.
Skin contact	May cause an allergic skin reaction. Causes skin irritation.
Eye contact	Causes serious eye damage.
Route of exposure	Skin and/or eye contact Ingestion Inhalation
Target organs	Skin Eyes
11.2 Other Hazards	
Toxicological information on ingredients.	
GLYCERINE	
Acute toxicity - o	ral
Notes (oral LD₅₀)	LD₅₀ 12600 mg/kg, Oral, Rat
SECTION 12: Ecological information	
Ecotoxicity	The product components are not classified as environmentally hazardous.
12.1. Toxicity	
Toxicity	The product is not believed to present a hazard due to its physical nature.
Ecological information on ingr	edients.

GLYCERINE

	oxicity
Acute toxicity -	
Acute toxicity - a invertebrates	aquatic EC₅₀, 24 hour: > 10,000 mg/L, Daphnia magna
12.2. Persistence and degrad	dability
Persistence and degradabilit	
12.3. Bioaccumulative potent	tial
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	The product is miscible with water and may spread in water systems.
12.5. Results of PBT and vPv	vB assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment metho	ods
General information	When handling waste, the safety precautions applying to handling of the product should be considered.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport info	rmation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
General 14.1. UN number	
14.1. UN number Not applicable.	(IMDG, IATA, ADR/RID).
14.1. UN number	(IMDG, IATA, ADR/RID).
14.1. UN number Not applicable. 14.2. UN proper shipping nar	(IMDG, IATA, ADR/RID).
 <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping nan</u> Not applicable. 	(IMDG, IATA, ADR/RID).
 <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping nan</u> Not applicable. <u>14.3. Transport hazard class</u> 	(IMDG, IATA, ADR/RID).
 <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping nan</u> Not applicable. <u>14.3. Transport hazard class</u> No transport warning sign real 	(IMDG, IATA, ADR/RID).
 14.1. UN number Not applicable. 14.2. UN proper shipping national Not applicable. 14.3. Transport hazard class No transport warning sign reading the statement of the	(IMDG, IATA, ADR/RID).
 <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping nan</u> Not applicable. <u>14.3. Transport hazard class</u> No transport warning sign red <u>14.4. Packing group</u> Not applicable. 	(IMDG, IATA, ADR/RID).
 <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping nar</u> Not applicable. <u>14.3. Transport hazard class</u> No transport warning sign rea <u>14.4. Packing group</u> Not applicable. <u>14.5. Environmental hazards</u> Environmentally hazardous s 	(IMDG, IATA, ADR/RID).
 14.1. UN number Not applicable. 14.2. UN proper shipping national Not applicable. 14.3. Transport hazard class No transport warning sign redistrict the statement of the statement of	(IMDG, IATA, ADR/RID).

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration,Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL: Derived No Effect Level. PNEC: Predicted No Effect Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.
General information	Only trained personnel should use this material.
Revision comments	This is the first issue.
Revision date	28/12/2022
Revision	1
SDS number	31071
Hazard statements in full	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.