

SAFETY DATA SHEET NITOFLOR RT6000 UT BASE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name NITOFLOR RT6000 UT BASE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Resin component for isocyanate-based floor-coating system.

1.3. Details of the supplier of the safety data sheet

Supplier Fosroc Yapi Kimyasallari San. Ve Tic. A.S.

Aydinevler mah. Sanayi cad. Demirtas Plaza No:13 Kat:3 34854

Maltepe ISTANBUL

TURKEY

+90 216 463 6776

enquiryturkey@fosroc.com

1.4. Emergency telephone number

Emergency telephone +90 262 728 15 07

National emergency telephone Turkey:

number Ulusal Zehir Danışma Merkezi (UZEM) :114

Acil Sağlık Hizmetleri: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards Not Classified

Human health See Section 11 for additional information on health hazards.

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

NITOFLOR RT6000 UT BASE

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

Contains CASTOR OIL No 1, Isothiazolinones Mixture

Supplementary precautionary

P261 Avoid breathing vapour/ spray.

statements

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

CASTOR OIL No 1		10-50%
CAS number: 8001-79-4	EC number: 232-293-8	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	-	
Eve Irrit. 2 - H319		

Isothiazolinones Mixture		<1%
CAS number: 55965-84-9		
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox. 3 - H331		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Inhalation Keep affected person under observation. Get medical attention if any discomfort continues.

Ingestion Keep affected person under observation. Get medical attention if any discomfort continues.

NITOFLOR RT6000 UT BASE

Skin contact Remove affected person from source of contamination. Wash contaminated clothing

thoroughly with water before removing it from the affected person, or wear gloves.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation May be harmful if inhaled.

Ingestion May cause irritation of mouth, throat and digestive tract.

Skin contact May cause an allergic skin reaction. Causes skin irritation.

Eye contact Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctorTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use foam, carbon dioxide, dry powder or water fog to extinguish.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not known.

Hazardous combustion

products

Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Avoid the spillage

or runoff entering drains, sewers or watercourses.

Special protective equipment

for firefighters

 $We ar positive-pressure \ self-contained \ breathing \ apparatus \ (SCBA) \ and \ appropriate \ protective$

clothing. Use air-supplied respirator, gloves and protective goggles.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Contain and absorb spillage with sand, earth or other non-combustible material. Take care as

floors and other surfaces may become slippery. Collect and place in suitable waste disposal

containers and seal securely.

6.4. Reference to other sections

Reference to other sections Collect and dispose of spillage as indicated in Section 13.

NITOFLOR RT6000 UT BASE

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Good personal hygiene procedures should be implemented. Wear suitable protective

equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Protect from freezing and direct sunlight.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

GLYCERINE (CAS: 56-81-5)

DNEL Workers - Inhalation; Long term local effects: 56 mg/m³

General population - Inhalation; Long term local effects: 33 mg/m³

General population - Oral; Long term systemic effects: 229 mg/kg bw/day

PNEC - Fresh water; 0.885 mg/L

- marine water; 0.088 mg/L

STP; 1000 mg/lSoil; 0,141 mg/kg

Intermittent release; 8,85 mg/l
Sediment (Freshwater); 3,3 mg/kg
Sediment (Marinewater); 0,33 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Ensure control measures are regularly inspected and maintained.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Wear tight-fitting, chemical

splash goggles or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. Polyvinyl chloride (PVC). Nitrile rubber.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective

clothing in case of contact.

Hygiene measures When using do not eat, drink or smoke. Wash at the end of each work shift and before eating,

smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove

any clothing that becomes wet or contaminated.

Respiratory protection Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-

marked. Half mask and quarter mask respirators with replaceable filter cartridges suitable for intended use should be used. Check that the respirator fits tightly and the filter is changed

regularly. Wear a respirator fitted with the following cartridge: Gas filter, type K.

NITOFLOR RT6000 UT BASE

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Off-white.

Odour Slight.

Odour threshold Not determined.

pH pH (concentrated solution):

Melting pointNot determined.Flash pointNot determined.Evaporation rateNot determined.

Evaporation factor Not determined.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Other flammability

Vapour pressure

Not determined.

Vapour density

Not determined.

Relative density «59» «184»

Bulk density Not applicable.

Solubility(ies) Forms an emulsion with water.

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity Not determined.

Explosive properties Not considered to be explosive.

Explosive under the influence Not considered to be explosive.

of a flame

Oxidising properties

9.2. Other information

Other information Not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The reactivity data for this product will be typical of those for the following class of materials:

Does not meet the criteria for classification as oxidising.

Pthalates.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

NITOFLOR RT6000 UT BASE

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid high temperatures.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 50,000.0

Acute toxicity - dermal

ATE dermal (mg/kg) 150,000.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 1,500.0

General information Extensive use of the product in areas with inadequate ventilation may result in the

accumulation of hazardous vapour concentrations.

Inhalation May be harmful if inhaled.

Ingestion May cause irritation of mouth, throat and digestive tract.

Skin contact May cause an allergic skin reaction. Causes skin irritation.

Eye contact Causes serious eye damage.

Route of exposure Skin and/or eye contact Ingestion Inhalation

Target organs Skin Eyes

11.2 Other Hazards

Toxicological information on ingredients.

GLYCERINE

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 12600 mg/kg, Oral, Rat

SECTION 12: Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

Ecological information on ingredients.

GLYCERINE

NITOFLOR RT6000 UT BASE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 24 hour: > 5000 mg/L, Carassius auratus (Goldfish)

Acute toxicity - aquatic

invertebrates

EC₅o, 24 hour: > 10,000 mg/L, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

NITOFLOR RT6000 UT BASE

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms DNEL: Derived No Effect Level.

used in the safety data sheet PNEC: Predicted No Effect Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.

General information Only trained personnel should use this material.

Revision comments This is the first issue.

Revision date 28/12/2022

Revision 1

SDS number 31074

Hazard statements in full H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.