

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
 Trade name 1.2 Relevant identified uses of Sector of Use 	<u>MC-DUR TopSpeed - Komponente A</u> of the substance or mixture and uses advised against SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 Product category Process category Environmental release category 	PC9a Coatings and paints, thinners, paint removers PROC10 Roller application or brushing ERC8f Widespread use leading to inclusion into/onto article (outdoor)
 Article category Application of the substance / the mixture 	ERC11a Widespread use of articles with low release (indoor) AC13 Plastic articles Polyurethane lacquer
• 1.3 Details of the supplier of a • Manufacturer/Supplier:	the safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon
 Informing department: 1.4 Emergency telephone number: 	Tel.: +44-7400510 Fax : +44-7400533 msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

Trade name MC-DUR TopSpeed - Komponente A

	(Contd. of page 1)
· Signal word	Warning
· Hazard-determining	
components of labelling:	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate Reaction mass of Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4- piperidinyl) ester and decanedioic acid,(1,2,2,6,6-pentamethyl-4- piperidinyl) methyl ester
 Hazard statements 	H317 May cause an allergic skin reaction.
	H412 Harmful to aquatic life with long lasting effects.
 Precautionary statements 	 P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P321 Specific treatment (see on this label). P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additional information:	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
 2.3 Other hazards Results of PBT and vPvB ass PBT: vPvB: 	essment Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Resin mixture.

Mixture consisting of the following components.

CAS: 136210-30-5 ELINCS: 429-270-1	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl) bis-DL-aspartate	30-60%
Reg.nr.: 01-0000017556-64- xxxx	Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 13463-67-7	titanium dioxide	10-30%
EINECS: 236-675-5	Carc. 2, H351	
CAS: 222417-26-7	Polyacrylate	≥0.25-<0.55
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315	
EC number: 915-687-0 Reg.nr.: 01-2119491304-40- XXXX	Reaction mass of Decanedioic acid, bis(1,2,2,6,6- pentamethyl-4-piperidinyl) ester and decanedioic acid,(1,2,2,6,6-pentamethyl-4-piperidinyl) methyl ester	<i>≥</i> 0.1-<0.259
	Repr. 2, H361; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

Trade name MC-DUR TopSpeed - Komponente A

(Contd. of page 2)

SECTION 4: First aid measures 4.1 Description of first aid measures · General information No special measures required. · After inhalation Void

- · After skin contact The product is not skin irritating. · After eye contact Rinse opened eye for several minutes under running water. · After swallowing Rinse out mouth and then drink plenty of water. Seek medical treatment.
- · 4.2 Most important symptoms and effects, both acute and delayed · 4.3 Indication of anv

No further relevant information available.

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters

No further relevant information available.

- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required. · 6.2 Environmental precautions: No special measures required. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). · 6.4 Reference to other

sections

No dangerous materials are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Open and handle container with care.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

Trade name MC-DUR TopSpeed - Komponente A

(Contd. of page 3)

 7.2 Conditions for safe storag Storage 	e, including any incompatibilities
• Requirements to be met by storerooms and containers: • Information about storage in	No special requirements.
one common storage facility: • Further information about	Not required.
storage conditions: Storage class	None. 12
· 7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical
- values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

CAS: 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate DNEL 4 mg/kg bw/day (ArL) Dermal Inhalative DNEL 28 mg/m³ (ArL) 112 mg/m³ (Ark) · PNECs CAS: 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC 31.1 mg/l (Kla) 0.000013 mg/l (Mew) 0.00013 mg/l (Freshwater) PNEC 0.1 mg/kg dwt (Bod) 0.02 mg/kg dwt (Marine water sediment)

0.21 mg/kg dwt (Fresh water sediment)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

- controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment

General protective and	
hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.
 Hand protection 	Protective gloves.
Material of gloves	Nitrile rubber, NBR
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

(Contd. of page 4)

Trade name MC-DUR TopSpeed - Komponente A

· Eye/face protection

Safety glasses Tightly sealed safety glasses. Protective work clothing.

Body protection:

Trolective work clothing.

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and che	mical properties	
· General Information		
· Colour:	According to product specification	
· Smell:	Characteristic	
• Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and		
boiling range	185 °C (CAS: 136210-30-5 tetraethyl-N,N'-	
	(methylenedicyclohexane-4,1-diyl)bis-DL-	
	aspartate)	
Flash point:	Not applicable	
· pH	Not applicable.	
	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic:	Not determined.	
Solubility		
Water:	Not miscible or difficult to mix	
Steam pressure:	Not determined.	
Density and/or relative density		
· Density at 20 °C	1.55 g/cm³	
· 9.2 Other information		
· Appearance:		
· Form:	Fluid	
· Important information on protection of hea	alth	
and environment, and on safety.		
· Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
· Information with regard to physical haz	ard	
classes	aru	
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
•••	(Contd. on page 6	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

Page 6/9

Trade name MC-DUR TopSpeed - Komponente A

		(Contd. of page 5
· Self-heating substances and mixtures	Void	
[·] Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity · 10.2 Chemical stability · Thermal decomposition /	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
• 10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	>2000 m	g/kg (rat) (67/548/EWG, Annex V, B.1)
Dermal	LD50	>2000 m	g/kg (rat) (67/548/EWG, Annex V, B.3)
CAS: 134	63-67-7 tit	anium di	oxide
Oral	LD50	>10000 ı	mg/kg (rat)
Dermal	LD50	>10000 ı	mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/	/l (rat)
Skin corr Respirato			Based on available data, the classification criteria are not met.
sensitisa		• •	May cause an allergic skin reaction.
Germ cel		icity	Based on available data, the classification criteria are not met.
Carcinog		i4.,	Based on available data, the classification criteria are not met.
Reproductive toxicity STOT-single exposure			Based on available data, the classification criteria are not met.
	eated expos		Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
	νεαιεύ εχμ	USUIC .	Based on available data, the classification criteria are not met.



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

(Contd. of page 6)

List II

Trade name MC-DUR TopSpeed - Komponente A

· 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 128-37-0 2.6-Di-tert-butyl-p-cresol

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

LC50/96h	66 mg/l (Danio rerio) (OECD 203)
EC50	3110 mg/l (BEL)

3110 mg/l (BEL) EC50/48h 88.6 mg/l (Daphnia magna)

NOEC 0.01 mg/l (Daphnia magna)

ErC50/72h 113 mg/l (Scenedesmus subspicatus)

No further relevant information available

no iuriner	reievani	mormation	avallable.

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

Not applicable.

- 12.5 Results of PBT and vPvB assessment Not applicable.
- · PBT:
- · vPvB:
- 12.6 Endocrine disrupting

properties

· 12.2 Persistence and

degradability

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

For information on endocrine disrupting properties see section 11.

SECTION 13: Disposal considerations

 13.1 Waste treatment methor Recommendation 	nds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

Trade name MC-DUR TopSpeed - Komponente A

(Contd. of page 7)

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act 	No further relevant information available.	
· Regulated explosives precursors		
CAS: 7664-38-2 phosphoric ac	sid	30%
· Regulated poisons		
None of the ingredients is listed	l.	
· Reportable explosives precu	rsors	
None of the ingredients is listed	l.	
· Reportable poisons		
None of the ingredients is listed	l.	
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.	

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 25 (replaces version 24)

Revision: 08.12.2023

Trade name MC-DUR TopSpeed - Komponente A

	(Contd. of page 8)
· Relevant phrases	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
	The the training to aqualic me with long lasting enects.
· Department issuing data	Fin vice ment in vete ation does a two at
specification sheet: • Abbreviations and acronyms:	<i>Environment protection department.</i> <i>RID: Règlement international concernant le transport des marchandises</i> <i>dangereuses par chemin de fer (Regulations Concerning the International</i>
	Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)
	PNEC: Predicted No-Effect Concentration (ÚK REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Carc. 2: Carcinogenicity – Category 2
	Repr. 2: Reproductive toxicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard –
	Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
* Data compared to the previous version altered.	