

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
<ul> <li>Trade name</li> <li>1.2 Relevant identified uses o</li> <li>Sector of Use</li> </ul>	<u>MC-DUR TopSpeed SC - Komponente A</u> f the substance or mixture and uses advised against SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
<ul> <li>Product category</li> <li>Process category</li> <li>Environmental release category</li> </ul>	<ul> <li>PC9a Coatings and paints, thinners, paint removers</li> <li>PROC10 Roller application or brushing</li> <li>ERC8f Widespread use leading to inclusion into/onto article (outdoor)</li> <li>ERC11a Widespread use of articles with low release (indoor)</li> </ul>
<ul> <li>Article category</li> <li>Application of the substance</li> <li>/ the mixture</li> </ul>	AC13 Plastic articles Polyurethane lacquer
• 1.3 Details of the supplier of t • Manufacturer/Supplier:	the safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone number:</li> </ul>	Fax : +44-7400533 msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565

### **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

### · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





Page 2/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

#### Trade name MC-DUR TopSpeed SC - Komponente A

Signal word	Warning	(Contd. of page 1)	
•	vvarning		
Hazard-determining			
components of labelling:	•	rl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate olinecarbaldehyde	
Hazard statements	H317 Ma	H317 May cause an allergic skin reaction.	
		armful to aquatic life with long lasting effects.	
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
······	P273		
	P280	Wear protective gloves.	
	P333+P3	313 If skin irritation or rash occurs: Get medical advice/ attention.	
	P321	Specific treatment (see on this label).	
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
2.3 Other hazards		C C	
Results of PBT and vPvB as	sessment		
PBT:	Not appl	icable.	

· PBT: · vPvB:

Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

# Resin mixture.

Description.	Mixture consisting of the following components.	
<ul> <li>Dangerous components:</li> </ul>		
CAS: 136210-30-5 ELINCS: 429-270-1 Reg.nr.: 01-0000017556-64- xxxx	tetraethyl-N,N'-(methylenedicyclohexane-4,1- diyl)bis-DL-aspartate Skin Sens. 1, H317; Aquatic Chronic 3, H412	80-100%
CAS: 222417-26-7	Polyacrylate Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315	<i>≥</i> 0.025-<0.25%
CAS: 4394-85-8 EINECS: 224-518-3 Reg.nr.: 01-2119987993-12	4-morpholinecarbaldehyde Skin Sens. 1, H317	<i>≥</i> 0.1-<0.5%

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- General information No special measures required.
- · After inhalation
- Void The product is not skin irritating. · After skin contact
- · After eye contact
- Rinse opened eye for several minutes under running water. Rinse out mouth and then drink plenty of water.
- · After swallowing

(Contd. on page 3)

GB



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

### Trade name MC-DUR TopSpeed SC - Komponente A

Trade frame inc-box TopSpeed S	
<ul> <li>4.2 Most important symptoms and effects, both acute and delayed</li> <li>4.3 Indication of any immediate medical attention and special treatment needed</li> </ul>	(Contd. of page 2 Seek medical treatment. No further relevant information available. No further relevant information available.
SECTION 5: Firefighting	measures
<ul> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing agents</li> <li>5.2 Special hazards arising from the substance or</li> </ul>	Use fire fighting measures that suit the environment.
<i>mixture</i> • 5.3 Advice for firefighters	No further relevant information available.
Protective equipment:	No special measures required.
SECTION 6: Accidental r	elease measures
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental</li> </ul>	Not required.
precautions: • 6.3 Methods and material for	No special measures required.
	Absorb with liquid-binding material (sand, diatomite, acid binders universal binders, sawdust).
<ul> <li>6.4 Reference to other sections</li> </ul>	No dangerous materials are released.
SECTION 7: Handling an	d storage
· 7.1 Precautions for safe	
handling · Information about protection	Open and handle container with care.
against explosions and fires:	
<ul> <li>7.2 Conditions for safe storag</li> <li>Storage</li> </ul>	e, including any incompatibilities
Requirements to be met by storerooms and containers:	No special requirements.
one common storage facility: • Further information about	Not required.
storage conditions: Storage class	None. 10
Glorage Glass	(Contd. on page 4

(Contd. on page 4)

<sup>-</sup> GB



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

### Trade name MC-DUR TopSpeed SC - Komponente A

• 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

Compo	ntrol para onents wit that requ	th critical	
			The product does not contain any relevant quantities of materia with critical values that have to be monitored at the workplace.
DNELs	;		
CAS: 1	36210-30	-5 tetraethyl-N	l,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate
Derma	DNEL	4 mg/kg bw/a	lay (ArL)
Inhalati	ive DNEL	28 mg/m³ (Ar	L)
		112 mg/m³ (A	
PNECs	;	I	
			N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate
PNEC	31.1 mg/l	. ,	
	0.000013	mg/l (Mew)	
	0.00013 n	ng/l (Freshwat	er)
PNEC	IEC 0.1 mg/kg dwt (Bod) 0.02 mg/kg dwt (Marine water sediment)		
			water sediment)
	-		vater sediment)
Additio	onal infor		The lists that were valid during the compilation were used as bas
	oosure co		<b>č</b>
	oriate eng		
contro		j	No further data; see section 7.
		ction measur	es, such as personal protective equipment
	al protecti		
hygien	ic measu	res	The usual precautionary measures should be adhered to
11			handling the chemicals.
напа р	protection		Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness $\geq 0.35$ mm.
			Only suitable for splash protection. Only suitable for short-te.
			exposure. In case of contamination, the protective gloves must
			changed immediately.
			Protective gloves.
Materia	al of glove	es	Nitrile rubber, NBR
	ation time	e of glove	
materia	al		The exact breakthrough time must be obtained from the protecti
		(f	glove manufacturer and must be observed.
<b>F</b>	ce protect	ion	Safety glasses
Eye/fa			Tightly sealed safety glasses.



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

### Trade name MC-DUR TopSpeed SC - Komponente A

• Body protection:

Protective work clothing.

(Contd. of page 4)

GB

9.1 Information on basic physical and cher General Information	mical properties
General Information Colour:	Cloudy
Smell:	neutral
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	185 °C (CAS: 136210-30-5 tetraethyl-N,N
5 5 5	(methylenedicyclohexane-4,1-diyl)bis-DL
	aspartate)
Flash point:	100 °C
рН	Not determined.
, Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Steam pressure at 20 °C:	2 hPa (CAS: 152637-10-0 poly(oxy(methyl-1,2
	ethanediyl)))
Vapour pressure at 50 °C:	8 hPa
Density and/or relative density	
Density at 20 °C	1.06 g/cm³
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Information with regard to physical haz	•
classes	aru
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

Page 6/9

#### Trade name MC-DUR TopSpeed SC - Komponente A

		(Contd. of page 5
<sup>•</sup> Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> </ul>	No further relevant information available.
<ul> <li>Thermal decomposition / conditions to be avoided:</li> </ul>	No decomposition if used according to specifications.
<ul> <li>10.3 Possibility of hazardous reactions</li> </ul>	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.
decomposition products:	No dangerous decomposition products known

### **SECTION 11: Toxicological information**

• Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values that are relevant for classification:

Oral LD50 >2000 mg/kg	′rat) (67/548/EWG, Annex V, B.1)
Dermal LD50 >2000 mg/kg	′rat) (67/548/EWG, Annex V, B.3)
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin	
sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
<sup>•</sup> 11.2 Information on other h	azards
Endocrine disrupting prope	erties
None of the ingredients is list	ed

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

Trade name MC-DUR TopSpeed SC - Komponente A

(Contd. of page 6)

	xicity:	
CAS: 1362	10-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate	
LC50/96h	66 mg/l (Danio rerio) (OECD 203)	
EC50	3110 mg/l (BEL)	
EC50/48h	88.6 mg/l (Daphnia magna)	
NOEC	0.01 mg/l (Daphnia magna)	
ErC50/72h	113 mg/l (Scenedesmus subspicatus)	
· PBT: · vPvB:	No further relevant information available.	
	adverse effects	
	ecological information: Do not allow undiluted product or large quantities of it to rea	

• **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· 14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

Page 8/9

Trade name MC-DUR TopSpeed SC - Komponente A

(Conta. of	f page 7)
Void	
Void	
No	
Not applicable.	
<b>y to</b> Not applicable.	
Void	
	Void Void No Not applicable.

15.1 Safety, health and environmental regulations/ legislation specific for the	
substance or mixture Poisons Act	No further relevant information available.
Regulated explosives precur	rsors
None of the ingredients is listed	d.
Regulated poisons	
None of the ingredients is listed	d.
Reportable explosives precu	irsors
None of the ingredients is listed	d.
Reportable poisons	
	d.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

<sup>.</sup> Relevant phrases	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
	(Contdon nade 9)

(Contd. on page 9)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 19 (replaces version 18)

Revision: 08.12.2023

Page 9/9

GB

### Trade name MC-DUR TopSpeed SC - Komponente A

	(Contd. of page 8)
<sup>.</sup> Department issuing data	
	Environment protection department.
specification sheet: Abbreviations and acronyms:	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard –
	Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
<ul> <li>* Data compared to the previous version altered.</li> </ul>	